

( )

## Washing Colorfastness Tester (Small capacity)

: RF6028



550ml 小水机



1200ml 小水机

\_\_\_\_\_ :

RF6028,

RF6028

40 / ,

95°C.

8

1200

8

550

\_\_\_\_\_ :

: AATCC 28/61/132/151/190, BS 1006

C01-C05, ISO 105 Part C01-C06/C08/D01, M&S C4/C5/C10A/P3B, FTMS 191-5610, NEXT TM2/3/5, GB/T 5711/3921

ISO 105-C01

01.

1

ISO 105-C02:1989

02.

2

ISO 105-C03

03.

---

		3		
ISO 105-C04	.		.	04.
		4		
ISO 105-C05	.		.	05.
		5		
	105-C06-2011	.		.
06.				
	105-C08-2009	.		.
08.				
			,	
	105-F-99	.		F.
			.	
9733.4-83.		.		
	105-D01-2011	.		.
D01.				
21050-2004.	.		.	

- \_\_\_\_\_ :
1. : 8 550 8  
1200
  2. : 40±2 /
  3. : 550 , 1200
  4. : 97°C
  5. : ±0.5°C
  6. : 2°C/
  7. : 316L
  8. :
  - 9.
  10. : , « »
  11. :
  12. : ~220 , 50 , 30
  13. : 650( )×600( )×960( )
  14. : 100

\_\_\_\_\_ :

RF6028			(
	)		
RF6028/1	550	( 2-	)
RF6028/2	1200	( 2-	)
RF6028/3		( 100	.)
RF6028/4		( 25	.)
RF6028/5	550	( 8	.)
RF6028/5	1200	( 8	.)